

# Mikron MILL X


## 400 / 400 U 600 / 600 U / 800



# Passion for Precision

#### **GF Machining Solutions: all about you**

When all you need is everything, it's good to know that there is one company that you can count on to deliver complete solutions and services. From world-class electrical discharge machines (EDM), Laser texturing and Additive Manufacturing through to first-class Milling and Spindles, Tooling, Automation and software systems — all backed by unrivalled customer service and support — we, through our AgieCharmilles, Microlution, Mikron Mill, Liechti, Step-Tec and System 3R technologies, help you raise your game and increase your competitive edge.



We are Mikron Mill.
 We are GF Machining Solutions.


# Contents

- 4 Market segments and applications
- 6 Technology and Solutions
- 8 Complex parts in perfection
- 10 Heidenhain TNC 640 control
- 11 smart machine
- 12 Accuracy
- 14 High-tech motor Spindles
- 15 Tool magazine
- 18 Table variants, Tooling and Automation
- 20 For a single machine with integrated Automation
- 21 Interface for Automation
- 22 Chip and mist management
- 24 Post-processing 3D printed metal parts
- 26 Technical data
- 29 Customer Services
- 30 GF Machining Solutions

Since the beginning of high-speed Milling (HSM), GF Machining Solutions has pioneered the development of this technology. The Mikron MILL X series is the result of this continuous development, bringing together the utmost features that make it the reference solution within the industry.

The Mikron MILL X solutions are 3- and 5-Axis extreme high-speed Milling solutions for manufacturers of small, precise and complex light parts.

#### Market segments and applications





# **5-Axis applications**



## High-speed Milling (HSM): productive precision and quality for your production

- Productivity
- Dynamic accuracy at fastest processing speed
- \* Fast setup change for flexible production
- \* Sustainable quality in split-batch production



Part production with highest productivity and quality

# We have the right solution—for you

\* Integrated or third-party Automation in smallest footprint

- <sup>+</sup>Unrivaled accessibility with or without Automation
- \*Reliable process due to sophisticated thermal management system
- \*Best damping characteristics due to mineral cast machine base
- \* Direct linear and rotating drives for highest dynamic process
- \*smart machine for precision, protection, time and saving energy
- \*Remote line assistance
- Step-Tec Spindle
- + Heidenhain TNC 640 control

- Master the challenges of a wide range of applications and short term-market requirements
- Go from blank to finished part on the smallest footprint, thanks to a flexible 5-Axis machine and produce your part on one machine in a single clamping

Complex parts in perfection

## React fast, drive fast and win the race



## Flexibility

- + 24/7 flexible production
- Always be able to answer customers' short-notice requests
- Change from batch production to express job within minutes

Fulfill market demands at any time just in time



## Productivity

- + Fastest 5-Axis HSM precision solution
- Ideal machine design with automated 5-Axis machining creates competitive advantages
- + Reliable system for 24/7 production

## Go from order to finished part just fast

## Generate profit around the clock within limited production time

0<sup>8</sup>/



## Profitability

- + Complete machining in one setup
- + Optimal productivity with minimal manpower
- Highest autonomous productivity on smallest footprint
- + Sustainable precision and surface quality
- + Generate value-added profit 24/7

Competitive cost per part just better

## **Best practice**

Manned production

Express jobs Challenging parts Setup new jobs

Batch production Long running parts Less challenging parts

Unmanned production

## Solution


smart machine Tuning Machine Options

Automation Tooling

#### Heidenhain TNC 640 control

## Optimal machining efficiency is at your fingertip

The Heidenhain TNC 640 control provides flexibility and efficiency from job preparation until part is milled. Mounted on a pivot arm to give more operator's accessibility, the touchable screen allows the operator to quickly navigate through the control. Thanks to an user-friendly and practical interface in combination with several functionalities, the TNC 640 support operators in their daily job giving to them more availability for other tasks.



## AMC/OMC Higher precision from the beginning



#### AMC

Every MILL X 5 axis machine is featuring the new Automated Machine Calibration (AMC). This new calibration tool comes with the complete Calibration Hardware on a pallet and allows calibrating at any time the kinematic of the machine. Program it or release it manually simply by pressing the start button. Beside the machine kinematic, it will also automatically calibrate touch probe and tool measuring system when needed.



#### ОМС

Every MILL X 3-axis machine is delivered with OMC (Original Manufacturer Calibration). Performed at the original assembly within GF production plant it is a new sequence of the calibration process reducing the machine tolerance. Achieving tight geometric dimensioning and tolerances will be easier.

#### smart machine

## Enhance your process beyond program and machine setup

The smart machine functionalities gathers a range of modules that offers various features in order to make the Milling process "intelligent,"

Each of the modules fulfills a specific task. Just like in a construction kit, the user can selects the modules that seem to him to be the best option for improving his process.

- Produce your workpieces in a process-secure and precise manner
- Increase reliability in unmanned operation
- **+** Boost the service life of the machine
- + Significantly reduce production costs



## smart machine classic package

Find your market and tune your machine accordingly

With the new smm package for 3 axis and 5 axis machines GF Machining Solutions combines some of the most powerful smart machine modules for your targeted applications and market needs. This tuning package will support you to get the best out of your machines according to your customer base.

For the 5 axis machines the included AMC extended corrects beside any position errors of the 4th and 5th axis also the angle errors of the swivel and rotary axis.

# HSM Core components

## \*Static accuracy

Perfect machine design with highest mechanical requirements provides the basis for a high-precision machine.

Moreover, GF Machining Solutions spares no effort to implement state-of-the-art components to create the best package for your Milling applications.

## <sup>+</sup>Dynamic accuracy

Stability, high dynamic drives and ingenious software are primary prerequisites for maximum precision and best workpiece surface quality.

- + Concrete polymer with high thermal inertia and excellent damping properties
- <sup>+</sup> Optimized force distribution within castings
- <sup>+</sup> High-precision direct drives and guides for high dynamics and rigidity
- + Direct path measurning system in the linear and rotational axis
- + Intelligent software compensation

## <sup>†</sup>Thermal accuracy

The Mikron MILL X series leads precision machining into a new era.


Sophisticated temperature management system comprises separate and independent cooling circuits of all heat sources and machine body as follows:

-----

Sansari

- + X, Y, Z, B, C drives
- + Machine body
- + Spindle with Opticool or CoolCore technology
- + Electronics cabinet

Highest part precision is the ultimate result of this solution's active stabilization enabling highest stability and process reliability.



#### High-tech motor Spindles

## HSM core components from Step-Tec

 Your reliable and stable Milling process is secured, thanks to an ingenious temperature control system

#### OptiCool

Step-Tec's OptiCool Spindle series ensures not only that the Spindle remains thermally stable, but that natural heat transfer to the Spindle support (e.g., Z-Axis) is limited to the lowest amount possible, in order to preserve the machine's geometry.


Stator cooling


circuit

- Best polar thermal balance \_\_\_\_\_ around the surface contacting the machine support
- Ultra high-precision ceramic hybrid bearings
- Heat barrier.
- + Frontal cooling
- Highest precision due to \_\_\_\_\_\_ optimized thermal balance of the entire machining head
- Satisfies the toughest requirements in surface finish, repeatability and reliability

#### **Cutting conditions monitoring**

- Vibration monitoring along each Axis
- Temperature monitoring of hot spots (bearings, motor, ambient temperature)






#### HPC 170 / 24,000 min<sup>-1</sup>


Step-Tec's versatile Spindle for mold and part production.

- Versatile Spindle for use in both mold making and production
- High chip volume due to large HSK-A63 tool interface
- Good surface finish in mold making
- Great rigidity for machining lightweight material (impeller) with long tools
- Full vibration control (V3D) to maximize the feed rate
- Constant power up to maximum speed

#### Spindle power



Spindle torque





#### **Tool magazine**

# Individual solutions tailored to your production needs

#### User-friendly tool feeding

Productivity and process reliability are ensured by lateral tool feeding.

- Simultaneous machining and feeding
- Simple feed monitoring through large glass panel
- Ergonomic access

#### Tool Automation in every configuration level

- Simple, double-row disc magazine or ATC
- Reliable "pickup" changing system
- Feed control via light beam
- Orientation of the touch probe

#### Optionally available in a variety of capacities:


- Mikron MILL X 400, MILL X 400 U HSK-E40: 18, 36, 68, 168 tools HSK-E32: 20, 40 tools
- Mikron MILL X 600, MILL X 600 U, MILL X 800 HSK-E50: 15, 30, 60, 120, 170, 220 tools HSK-E40: 18, 36, 68, 168, 308 tools HSK-A63: 48, 120, 170, 220 tools

Productivity with pinpoint accuracy Step-Te




## Table variants, Tooling and Automation

# As flexible as needed




- Increase your productivity by reducing your setup time with a zero-point clamping system
- Increase your quality by improving repeatability with Tooling and Automation


Easy loading and unloading of pallet magazine during the machining process



Mikron MILL X 600 U: disc-type magazine




Mikron MILL X 600 / 800: linear-type magazine



5

## Job Tool Manager (JTM) bring agility back to the shop floor



User friendly software for one machine with integrated pallet changer. Assign NC programs to pallet position by drag and drop on a touch screen, close to the pallet changer.

#### Advantages

- + Easy to change priorities when the machine is working
- Add or remove jobs while machining
- Jobs where cutters are missing will not be started
- Estimated and present machining time for the magazine content are calculated.

TIME 00:00:00	estony water	ALC OCTUPY	11	100	100	
and international in	FLENARE		- 400	FLEN	AVE	COMM .
da finiti da Seto - Hanamant	RELOZ STAN	RELOZ STAH		IEROUN		Progra
	ROUNDION		( also	ALT HE TAKE		
	R BOLARS20x20.H			ALT MALT	Language From	140.78
	IN TRIDO H			112	10000a0.100	83 43 89

MESSAGE

MACHINE ONLINE

TRI30 H FINISHED OK

PART\_1H FINSHED OK

STARTING ROUND30 H ON PALLET 4 ROUND30 H FINISHED OK

STARTING TRIGOH ON PALLET

STARTING PART 1 H ON PALLET 8

anan nen									100	. DRA
TOCK TABLE										
NO. DEDCRIPTION	585.	PUC.	100-	LPENU.	Liten.	MARK.	CUMPE	TMEL.	uni.	HAD
	- P	1	NO.	· · · · · · · · · · · · · · · · · · ·		940	10	. 613	1,000	81000
- W	2	2	102	1123	101		- 12	403	1.000	10.00
11	1.	3.1	NO	483	455	54.0	<ul> <li>11</li> </ul>	- 521	1.0001	1,938
	6.		540	Y28	660	84.0	4.2	54.0	0.0000	0,0000
	8.1	812.1	NO.	- YES	80.0	: :94.0	25			0.5100
38	4.1		NO.	· ves	800	- 64			1,000	6,5100
10		1	HEJ	1755	401	that all	4.0	81.0	1.800	4.5100
11	1.	1.1	HD.	100	- 415	- 10	- 10	6.0	1,000	4508
42	1		140		800	940	14.2	94.5	1.0000	0.0000
-10	14	10	NO.	155	.300	- 286	14.3	1563	0.0000	42080
16		18.	ND.	VER.	600		11			0.0000
	10	48.	HO	100	80.0	- 548	4.5	513	0.0000	4,2090
	- LL.	11	NO.	C1	803	64.0	11.1		1.000	
18	141	18	140	17.5	403	64.0	- 10	\$13	1.000	8,008
11	1.	25.	NO	12.0	80.3	- 640	4.5	41.5	0.0001	\$200
	18	14	140	100	803	- 648			1 mil	
81		11	140	103	40.9	1048	- 192	3/4	1 9000	1208

#### Assign NC file, check tool capacity, schedule

By selecting the NC program, JobToolManager register the tools used in the in the program.

Time is stored if the NC program defines the time for the entire machining or if each tool has its use time.

If the program has been used earlier, it automatically displays the last recorded time.

#### Manage tools upon jobs to be done

Each time a new job is started, JobToolManager checks the machine tool table to see the availability of tools.

If a tool is broken and no sister tool is available, will the job be blocked.

TIME

10:14:14

10:14:17


10:14:23

10.14:30

10.14.30

10:14:36

#### Interface for Automation





• More parts in less time at lower costs

# Customerspecific solutions

#### From the pallet magazine to the robot system

GF Machining Solutions has developed a fully integrated pallet magazine as a standard product.

With a standardized robot interface, the Mikron MILL X series can be operated with well-known suppliers' robot systems.

No matter what type of handling system is used, the accessibility of the machine remains outstanding.

Together with the modular tool magazines, the compact Milling center becomes a highly productive and flexible production cell—including in conjunction with other machines.



A complete cell, configured for you

#### Chip and mist management


# Clean machining

#### Adapted chip and mist management

The form and volume of the chips are determined by the machined material as well as the processing strategy. Whatever your production process, a wide selection of options is available to ensure proper chip evacuation.

Optimum chip clearance due to steep, smooth cabin walls. Washer jets prevent chip accumulation.





Automation door is also washed down.

#### Chip conveyor





#### Lift-up chip conveyor

 Solution for aluminum Milling chips. With slat band lift-up chip conveyor and coolant filtration unit

 Solution for steel Milling chips with scraper lift-up chip conveyor and coolant filtration unit



#### Band filter system

Depending on machine equipment and processing strategy, 450- and 950-liter filter systems are available.

- Pump back station
- Lift pump station
- Wash-down system

#### Already implemented requests

- Air/cooling lubricant through Spindle
- Additional chip flushing on the Spindle

Cooling lubricant/air through Spindle



# Productivity for you

Step-Tec

#### Post-processing 3D printed metal parts

## Technologies combination as a goal

- Revolutionize your manufacturing process
- Decrease your lead time
- Complete freedom of design



Freedom of design Additive Manufacturing

Perfect surface High-speed cutting (HSC) Milling / high-speed part production



Additive Manufacturing (AM) is a hot industrial topic as applications are numerous and promising—and initiatives are multiplying all over the world.

GF Machining Solutions has embraced AM as a leading technology providing new opportunities for its customers, and understands how it complements traditional technologies.

Combining AM and—for example—a Mikron MILL X Milling machine is the most efficient option if you want to build parts with a perfect surface finish.

The future is in complete solutions combining performant technologies in an efficient way, and GF Machining Solutions is your partner on the path to the future. And—just as we have pioneered the Automation of traditional machining technologies—we are blazing a path for AM Automation.



# Your most efficient option

## **Technical data**



#### Machine

Mikron MILL X 400


Mikron MILL X 400 U


Longitudinal X	mm	500	500	
Lateral Y	mm	450	240	
Vertical Z	mm	360	360	
Swivelling axis	0	_	+110/-110	
Rotary axis	0	-	n x 360	
Feed rate				
Rapid traverse X, Y	m/min	100	100	
Rapid traverse Z	m/min	100	100	
Rapid traverse (swivel)	) rpm	_	165	
Rapid traverse (rotary)	rpm	-	250	
Working spindle (40%	ED, S6)			
60,000 rpm, HSK-E32	kW / Nm	8.5 / 3.5	8.5 / 3.5	
42,000 rpm, HSK-E40	kW / Nm	13.5 / 8.8	13.5 / 8.8	
30,000 rpm, HSK-E40	kW / Nm	13.5 / 8.8	13.5 / 8.8	
Work table				
Table	mm	_		
Pallet/clamping surfac	e mm	Dynafix 280x280/350x350	MacroMagnum 156	
Pallet/clamping surfac	e mm	UPC 320 x 320	ITS 148	
Max. table load	kg	120	25	
Tool magazine				
HSK-E32	tool holder	20/40	20/40	
HSK-E40	tool holder	18 / 36 / 68 / 168	18 / 36 / 68 / 168	
Automation				
Pallet size / Number	Piece	-	MacroMagnum 156 / 18x	
Pallet size / Number	Piece	Dynafix/UPC / 7x	ITS 148 / 20x	
Maximum additional lo	ad kg	90	25	
Weight				
Machine	kg	6,800	7,000	
Pallet magazine	kg	900	900	
Control unit				
Heidenhain		TNC 640	TNC 640	




Machine		Mikron MILL X 600	Mikron MILL X 600 U	Mikron MILL X 800	
Workarea					
Longitudinal X	mm	600	800	800	
Lateral Y	mm	600	600	600	
Vertical Z	mm	500	500	500	
Swivelling axis	0	_	+ 30/-110°	-	
Rotary axis	0		n x 360°	-	
Feed rate					
Rapid traverse X, Y	m / min	100	100	100	
Rapid traverse Z	m / min	100	100	100	
Rapid traverse (swive	el) rpm	-	60	-	
Rapid traverse (rotar	y) rpm	-	150	-	
Working spindle (40	% ED, S6)				
2,000 rpm, HSK-E40 kW / Nm		13.5 / 8.8	13.5 / 8.8	13.5 / 8.8	
6,000 rpm, HSK-E50 kW / Nm		33 / 21	33 / 21	33 / 21	
30,000 rpm, HSK-E40 kW / Nm		13.5 / 8.8	13.5 / 8.8	13.5 / 8.8	
24,000 rpm, HSK-A63	3 kW / Nm	28 / 28	28 / 28	28 / 28	
Work table					
able mm		900 x 600	-	900 x 600	
allet/clamping surface mm		_	Dynafix 280x280/350x350	-	
Pallet/clamping surf	ace mm	800 x 600	UPC 320 x 320	600/800 x 600	
Max table load	kg	500	120	1,000	
Tool magazine					
HSK-E40 tool holder		18 / 36 / 68 / 168	18 / 36 / 68 / 168	18 / 36 / 68 / 168	
ISK-E50 tool holder		15/30/60/120/170/220	15/30/60/120/170/220	15/30/60/120/170/220	
HSK-A63	tool holder	48 / 120 / 170 / 220	48 / 120 / 170 / 220	48 / 120 / 170 / 220	
Automation					
Pallet size / Number	Piece	800 x 600 / 4x	Dynafix/UPC / 7x	800 x 600 / 4x	
Maximum additional	load kg	500	90	800	
Weight					
Machine	kg	9,900	9,900	9,900	
Pallet magazine	kg	900	900	1,800	
Control unit					
Heidenhain		TNC 640	TNC 640	TNC 640	

#### Mikron MILL X 400 / 400 U










- Machine 1.
- 2. Mist extraction unit
- 3.
- Lift-up chip conveyor (scraper and slat-band types) Cooling unit
- 6.
- Cooling unit
   CoolCore cooling unit
   Endless belt filter system (950 liters)
   Band filter system (950 liters)
   Basket filter system (450 liters)
   Band filter system (450 liters)

- 12. Endless belt filter system (450 liters)
- Coolant thermal control
   Co<sup>2</sup> fire extinguishing system
   Pallet magazine








Mikron MILL X 600 / 600 U / 800

#### **Customer Services**

## New digital service possibilities

**GF** Machining Solutions Customer Services continues to push technological boundaries to deliver the future of services to you—today.



**rConnect** is the digital services platform available for all GF Machining Solutions technologies. Following a modular approach, rConnect comprises a range of services that empower you to increase your manufacturing productivity. Certified with the TÜViT Trusted Product Certificate.

**rConnect Messenger**, we deliver machine data to your mobile device to keep you constantly informed about your production. You can supervise your workshop from your smartphone.

**rConnect Live Remote Assistance** (LRA), our expert engineers rapidly respond to your service requests. LRA allows effective face-to-face assistance using audio, video, chat and many more functionalities.



#### **About GF Machining Solutions**

## Multi–technology solutions provider

Our commitment to you and your specific applications is proven by the value-adding intelligence, productivity and quality delivered by our multi-technology solutions. Your success is our chief motivator. That's why we are continuously advancing our legendary technical expertise. Wherever you are, whatever your market segment and whatever the size of your operation, we have the complete solutions and the customer-centric commitment to accelerate your success—today.

#### Wire-cutting EDM

EDM (electrical

discharge machining)

GF Machining Solutions' wire-cutting EDM is fast, precise and increasingly energy efficient. From ultraprecise machining of miniaturized components down to 0.02 mm to powerful solutions for demanding high-speed machining with respect to surface accuracy, our wire EDM solutions position you for success.

#### **Die-sinking EDM**

GF Machining Solutions is revolutionizing diesinking EDM with features like iGAP technology to dramatically boost machining speed and reduce electrode wear. All of our die-sinking systems offer fast removal and deliver mirror finishes of Ra 0.1  $\mu$ m (4  $\mu$ in).

#### Hole-drilling EDM

GF Machining Solutions' robust hole-drilling EDM solutions enable you to drill holes in electrically conductive materials at a very high speed and, with a five-axis configuration, at any angle on a workpiece with an inclined surface. Milling

#### Milling

Precision tool and mold manufacturers enjoy a competitive edge with our Mikron MILL S solutions' fast and precise machining. The Mikron MILL P machines achieve above-average productivity thanks to their high performance and Automation. Customers seeking fastest return on investment benefit from the affordable efficiency of our MILL E solutions.

#### **High Performance Airfoil Machining**

Our Liechti turnkey solutions enable the highly dynamic manufacturing of precision airfoils. Thanks to their unique performance and our expertise in airfoil machining, you increase productivity by producing at the lowest cost per part.

#### Spindles

As part of GF Machining Solutions, Step-Tec is engaged in the very first stage of each machining center development project. Compact design combined with excellent thermal and geometric repeatability ensure the perfect integration of this core component into the machine tool. Advanced manufacturing

U

#### Laser texturing

Aesthetic and functional texturing is easy and infinitely repeatable with our digitized Laser technology. Even complex 3D geometries, including precision parts, are textured, engraved, microstructured, marked and labeled.

#### Laser micromachining

GF Machining Solutions offers the industry's most complete line of Laser micromachining platforms optimized for small, high-precision features to meet the increasing need for smaller, smarter parts to support today's leading-edge products.

#### Laser Additive Manufacturing (AM)

GF Machining Solutions and 3D Systems, a leading global provider of additive manufacturing solutions and the pioneer of 3D printing, have partnered to introduce new metal 3D printing solutions that enable manufacturers to produce complex metal parts more efficiently.

#### Tooling and Automation



#### **Digitalization solutions**

Software

To drive its digital transformation, GF Machining Solutions acquired symmedia GmbH, a company specialized in software for machine connectivity. Together, we offer a complete range of Industry 4.0 solutions across all industries. The future requires the agility to adapt quickly to continual digital processes. Our intelligent manufacturing offers embedded expertise, optimized production processes, and workshop Automation: solutions for smart and connected machines.



#### B

#### Worldwide for you

Ensuring the best performance throughout the lifetime of our customers' equipment is the goal of our three levels of support. Operations Support offers the complete range of original wear parts and certified consumables. Machine Support includes spare parts, technical support, and a range of preventive services to maximize machine uptime. Business Support offers customers specific business solutions.

#### -----

Tooling Our customers experience complete autonomy while maintaining extreme accuracy, thanks to our highly accurate System 3R reference systems for holding and positioning electrodes and work pieces. All types of machines can easily be linked, which reduces set-up times and enables a seamless transfer of workpieces between different operations.

#### Automation

Together with System 3R, we also provide scalable and cost-effective Automation solutions for simple, single machine cells or complex, multiprocess cells, tailored to your needs.



#### Switzerland

Biel/Bienne Losone Geneva Flawil Langnau

www.gfms.com www.gfms.com/ch

#### Europe

Germany, Schorndorf www.gfms.com/de

United Kingdom, Coventry www.gfms.com/uk

Italy, Agrate Brianza - MI www.gfms.com/it

Spain, Sant Boi de Llobregat Barcelona www.gfms.com/es

France, Palaiseau www.gfms.com/fr

Poland, Raszyn / Warsaw www.gfms.com/pl

Czech Republic, Brno www.gfms.com/cz

Sweden, Vällingby www.gfms.com/system3r

Turkey, Istanbul www.gfms.com/tr

#### Americas

#### USA Lincolnshire, IL

Chicago, IL Holliston, MA Huntersville, NC Irvine, CA Woodridge, IL www.gfms.com/us

Canada, Mississauga ON www.gfms.com/us

Mexico, Monterrey NL www.gfms.com/us

Brazil, São Paulo www.gfms.com/br

#### Asia

China Beijing, Shanghai, Chengdu, Dongguan, Hongkong, Changzhou www.gfms.com/cn

India, Bangalore www.gfms.com/sg

Japan Tokyo, Yokohama www.gfms.com/jp

Korea, Seoul www.gfms.com/kr

Malaysia, Petaling Jaya www.gfms.com/sg

Singapore, Singapore www.gfms.com/sg

Taiwan Taipei, Taichung www.gfms.com/tw

Vietnam, Hanoi www.gfms.com/sg

## At a glance

We enable our customers to run their businesses efficiently and effectively by offering innovative Milling, EDM, Laser, Additive Manufacturing, Spindle, Tooling and Automation solutions. A comprehensive package of Customer Services completes our proposition.

www.gfms.com

